The Periodic Vehicle Routing Problem with Driver Consistency

Inmaculada Rodríguez-Martín[†] Juan-José Salazar-González[†] Hande Yaman[‡]

[†]Universidad de La Laguna, Tenerife, Spain [‡]Bilkent Universtiy, Ankara, Turkey

Segovia, 27-29 September 2017

Work poorly supported by the Spanish grant MTM2015-63680-R (MINECO/FEDER)

Outline



- Introduction
- Mathematical formulation
- Symmetry breaking
- Valid inequalities
- 2 Branch-and-cut algorithm
- Computational results

4 Conclusions

Introduction Mathematical formulation Symmetry breaking Valid inequalities

Introduction

The Period VRP, introduced by Beltrami and Bodin (1974), is a generalization of the classical Capacitated VRP in which routes are determined for a planning horizon of multiple periods with some customers demanding multiple visits.

Introduction Mathematical formulation Symmetry breaking Valid inequalities

Introduction

The Period VRP, introduced by Beltrami and Bodin (1974), is a generalization of the classical Capacitated VRP in which routes are determined for a planning horizon of multiple periods with some customers demanding multiple visits.

Each customer has an associated set of allowable visit schedules. For example, suppose we are making a plan for Monday to Friday and a customer needs to be visited twice with at least one day and at most two days between consecutive visits. Then, the possible visit schedules for this customer are:

Monday & Wednesday, Monday & Thursday, Tuesday & Thursday, Tuesday & Friday, and Wednesday & Friday

Introduction Mathematical formulation Symmetry breaking Valid inequalities

Introduction

The Period VRP, introduced by Beltrami and Bodin (1974), is a generalization of the classical Capacitated VRP in which routes are determined for a planning horizon of multiple periods with some customers demanding multiple visits.

Each customer has an associated set of allowable visit schedules. For example, suppose we are making a plan for Monday to Friday and a customer needs to be visited twice with at least one day and at most two days between consecutive visits. Then, the possible visit schedules for this customer are: Monday & Wednesday, Monday & Thursday, Tuesday & Thursday, Tuesday & Friday, and Wednesday & Friday

The problem is to simultaneously decide on the schedules and the routes to minimize the total transportation cost.

Introduction Mathematical formulation Symmetry breaking Valid inequalities

The Consistent VRP, introduced by Groër et al. (2009), each customer has a unique visit schedule (e.g., Monday & Wednesday), and the aim is to design the routes such that all visits to each customer are performed by the same driver at about the same time. (i.e. *driver consistency* and *time consistency*).

Introduction Mathematical formulation Symmetry breaking Valid inequalities

The Consistent VRP, introduced by Groër et al. (2009), each customer has a unique visit schedule (e.g., Monday & Wednesday), and the aim is to design the routes such that all visits to each customer are performed by the same driver at about the same time. (i.e. *driver consistency* and *time consistency*).

The motivation to ask for *driver consistency* is that customers appreciate to be serviced by the same driver, and drivers became more familiar with their tasks when they visit the same customers repeatedly.

Introduction Mathematical formulation Symmetry breaking Valid inequalities

We introduce the Periodic VRP with Driver Consistency (PVRP-DC), which is a variant of the Periodic VRP where we impose driver consistency. That is, we are given:

- A depot and a set of homogeneous vehicles that can visit a limited number of customers each day.
- A set of customers that need to be visited over a time horizon of several days, always by the same driver/vehicle.
- Each customer has a given number of allowable visit schedules over the time horizon.

Introduction Mathematical formulation Symmetry breaking Valid inequalities

We introduce the Periodic VRP with Driver Consistency (PVRP-DC), which is a variant of the Periodic VRP where we impose driver consistency. That is, we are given:

- A depot and a set of homogeneous vehicles that can visit a limited number of customers each day.
- A set of customers that need to be visited over a time horizon of several days, always by the same driver/vehicle.
- Each customer has a given number of allowable visit schedules over the time horizon.

The aim of the PVRP-DC is to find a set of minimum cost routes for each period of the time horizon, so that each customer is visited according to one of its allowable visit schedules, and it is visited always by the same vehicle/driver.